



Simple and intuitive

Easy to load ribbon, accessible label path and single button control enable clear and trouble-free operation.

Cost-effective compatibility

The CL-S321 offers EPL2 compatibility, so you can just plug and print with existing applications. Convenient to use and economically priced, the CL-S321 is a great choice for value-based thermal transfer printing.

Compact size and efficient design

The compact and efficient design helps to reduce desktop space usage and makes the CL-S321 a great fit for all thermal transfer applications.

Applications

- Retail
- Pharmacy
- Healthcare
- E-Seller
- SME / SMB



The CL-E300 is simple to use and intuitive, ensuring users waste no time when changing labels or adjusting settings.

CITIZEN



The CL-S321 is equipped with Ethernet 10/100, RS-232 and USB2.0 interfaces.

Specifications

Model	CL-S321
Printing Technology	Thermal Transfer + Direct Thermal
Resolution	203 dpi, 300 dpi
Print Speed (maximum)	4 inches per second (100 mm/s)
Print Width (maximum)	4 inches (104 mm)
Media Width (min to max)	1 to 5 inches (25.4 to 118.1 mm)
Roll Size (max), Core Size	Inside diameter 5 inches (125 mm) Core size 1 inch (25mm)
Media Thickness (min to max)	60 to 200 ?m
Media Length (min to max)	0.16 to 68 inches (0.4 to 1727 mm)
Media Sensor	Fixed label gap and reflective black mark
Main Interface	Triple interface USB 2.0, RS-232 and 10/100 Ethernet
Ribbon size	1.57 inches (40 mm) maximum outside diameter. 110 meter length. 0.5 inch (12.7mm) core
Ribbon winding & type	Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type
Mechanism	Self-contained
Control panel	One LED, Control key: FEED
Emulations (Languages)	Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400
Drivers and software	Free-of-charge from website, including support for various platforms
Flash (Non-Volatile Memory)	8MB
Size (W x D x H) and Weight	224 x 254 x 170, 2.5 Kg
Warranty	2 years on printer. 6 months or 50 Kms printhead

CL-S321

Label, Desktop

Features & Benefits

- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- ENERGY STAR® compliant
- Small footprint



Thanks to its Energy Star® compliant power supply, the CL-E300 series is one of the most environmentally friendly label printer ranges on the market.

CITIZEN

CL-S321

Label, Desktop

Model	CL-S321
EMC and safety standards	CE, TUV, UL, FCC, VCCI

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

۰۲۱ - ۶۶۱۲۹۳۶۲
crm@idgroup.ir

تهران، خیابان فاطمی غربی، بین سیندخت
و اعتمادزاده، روبروی سازمان شیلات ایران،
پلاک ۲۱۵، طبقه ۲

همکاران شناه
www.idgroup.ir

